




TR007 / TR008 Trolley

ASSEMBLY INSTRUCTIONS

ISSUE 2







Parts List

Trolley

- 1) Trolley Base complete with Wheels x 1
- 2) Bottle Support Panel (double width for TR007) x 1
- 3) Drawer / Water Cooler Fixing Bracket x 2
- 4) Handle Panel
- 5) M6 x 10 Screw x 13
- 6) M5 x 12 Screw x 4
- 7) Gas Bottle Securing Chain x 1

Drawer

- 8) Drawer Unit x 1
- 9) Machine Fixing Bracket x 2
- 10) M5 x 12 Screw with Washer x 8

Water Cooler (Optional Extra)

- 11) Water Cooler Unit
- 12) Machine Fixing Bracket (as item 9)
- 13) M5 x 12 Screw with Washer (as item 10)









Assembly Instructions TR007 / TR008 Trolley, Machine and Drawer / Water Cooler



FIG 2 - Assembly of Drawer or W/Cooler to Trolley




FIG 3 - Assembly of Brackets to Machine



STEP 1

Assemble the Bottle Support Panel (2) to the Trolley Base (1) using 8 of the M6x10 screws (5) as shown in FIG 1.

STEP 2

Remove Fixing Brackets (3) from Trolley Base (1) by undoing the 4 screws. Assemble Fixing Brackets (3) to the underneath of the Drawer (8) or w/cooler (11) using the M5x12 screws (10) in 4 places as shown in FIG 2. Assemble Drawer (8) or w/cooler (11) complete with Fixing Brackets (3) back onto the Trolley Base (1) using the 4 screws removed earlier.

STEP 3

With the machine on its side, assemble the Machine Fixing Brackets (9) to the underneath of the Machine using the M5x12 screws (6) in 4 places.



Assembly Instructions TR007 / TR008 Trolley, Machine and Drawer / Water Cooler

FIG 4 - Assembly of Machine to Drawer or W/Cooler







STEP 4

Carefully locate the Machine complete with Machine Fixing Brackets (9) onto the top of the Drawer (8) or w/cooler (11) as shown in FIG 4. Fix into position with M5x12 screws (10) in 4 places.

STEP 5

Assemble the Handle Panel (4) onto the bottle support panel (2) using 2 of the M6x10 screws (5). Then finally assemble the front of the Handle Panel (4) to the top of the machine using the 3 remaining M6x10 screws (5).

TR008 Trolley Complete with Machine and Water Cooler Option